

EXHIBIT PAGE 1

L-16A

MASTER MIX®
"AAA" POULT GROWER-R
429-49A
MEDICATED

An aid in prevention and control of coccidiosis and as an aid in the prevention of blackhead in turkeys when fed continuously beginning 2 weeks before blackhead and coccidiosis is expected and continue as long as prevention of blackhead and prevention and control of coccidiosis is needed.

WARNING: Discontinue medication five days before slaughter.
 Use as the sole source of organic arsenic.
 For turkeys grown for meat purposes only.

ACTIVE DRUG INGREDIENTS

Carbarsone (Not USP)	0.0375%
Zoalene	0.01875%

Guaranteed Analysis

Crude Protein, Min.	21.5%
Crude Fat, Min.	2.0%
Crude Fiber, Max.	4.0%

INGREDIENTS

Grain Products, Plant Protein Products, Animal Protein Products, Methionine Supplement, L-Lysine, Vitamin A Supplement, D-activated Animal Sterol (Source of Vitamin D₃), Riboflavin Supplement, Niacin Supplement, Calcium Pantothenate, Vitamin E Supplement, Biotin, Choline Chloride, Menadione Sodium Bisulfite Complex, Pyridoxine Hydrochloride, Thiamine Mononitrate, Ethoxyquin (a preservative), Ground Limestone, Calcium Phosphate, Salt, and traces of Manganous Oxide, Calcium Iodate, Iron Carbonate, Iron Sulfate, Copper Sulfate, Zinc Oxide and Sodium Selenite.

862

Manufactured By



CENTRAL SOYA
 and Subsidiaries
 Fort Wayne, Indiana 46802

Net Weight as Shown on Package—or Bulk

MASTER MIX® **18% DAIRY MASTER** **6443**

On an average feed 1 lb. per 2½ lbs. of milk produced. Amount fed can vary with roughage, weight of cow, stage of lactation and milk produced.

Guaranteed Analysis

Crude Protein, Min.	18.0%
Crude Fat, Min.	2.5%
Crude Fiber, Max.	8.5%
Calcium (Ca), Min. ... 0.8% Max.	1.3%
Phosphorus (P), Min.	0.5%
Magnesium (Mg.), Min.	0.3%
Potassium (K), Min.	0.8%
Sulfur (S), Min.	0.3%
Vitamin A, not less than 5,000 IU/lb.	
Vitamin D ₃ , not less than 3,000 IU/lb.	
Vitamin E, not less than 3 IU/lb.	

INGREDIENTS

Grain Products, Processed Grain By-Products, Plant Protein Products, Roughage Products, Molasses Products, Vitamin A Supplement, D-activated Animal Sterol (Source of Vitamin D₃), Vitamin E Supplement, Salt, Ground Limestone, Calcium Phosphate, Magnesium Oxide, Potassium Chloride, and traces of Calcium Iodate, Cobalt Carbonate, Iron Sulfate, Copper Sulfate, Manganous Sulfate, Zinc Sulfate and Sodium Selenite.

812



Manufactured By

CENTRAL SOYA
and Subsidiaries

© Port Wayne, Indiana 46082

Net Weight as Shown on Package—or Bulk

MASTER MIX® **"AAA" PIG-GRO 3** **(811-82A)**

MEDICATED

An aid in prevention during times of stress and treatment of bacterial swine enteritis (salmonellosis or necrotic enteritis caused by *Salmonella choleraesuis* and vibronic dysentery). For maintenance of weight gains in the presence of atrophic rhinitis. For reduction of the incidence of cervical abscesses. An aid in growth promotion and increased feed efficiency in pigs weighing up to 75 pounds.

 **WARNING:** Discontinue 15 days before slaughter.

ACTIVE DRUG INGREDIENTS

Chlortetracycline	100 g./ton
Sulfamethazine	0.011%
Penicillin (from Procaine Penicillin)	50 g./ton

Guaranteed Analysis

Crude Protein, Min.	16.0%
Crude Fat, Min.	3.5%
Crude Fiber, Max.	4.5%

INGREDIENTS

Ground Yellow Corn, Soybean Meal, Meat & Bone Meal, Soybean Mill Run, Wheat Middlings, Cane Molasses, Animal Fat preserved with BHA, L-Lysine, Vitamin A Supplement, Vitamin B₁₂ Supplement, Vitamin E Supplement, Riboflavin Supplement, Niacin Supplement, Calcium Pantothenate, Choline Chloride, Ethoxyquin (a preservative), Menadione Sodium Bisulfite Complex, D-activated Animal Sterol (Source of Vitamin D₃), Ground Limestone, Calcium Phosphate, Salt, Iron Sulfate, and traces of Manganous Oxide, Magnesium Oxide, Calcium Iodate, Iron Carbonate, Cobalt Carbonate, Copper Oxide, Copper Sulfate, Zinc Oxide and Sodium Selenite.

882-Fla.

Manufactured By



CENTRAL SOYA
 and Subsidiaries

© Fort Wayne, Indiana 46802

Net Weight as Shown on Package—or Bulk

MASTER MIX® CATTLE BUILDER 40 761

(FOR BEEF CATTLE ONLY)

Feed to beef cattle at the rate of 1 to 2 lbs. head per day depending on the quantity and quality of other feedstuffs available, the purpose for which cattle are being fed, and the desired rate of performance.

CAUTION: This feed contains urea and must be fed with grain or used as a top-dressing over grain and roughage so that the equivalent protein supplied urea does not exceed 1/4 of the total crude protein the ration. Use only as directed.

Guaranteed Analysis

Crude Protein, Min.	40.0
Includes not more than 15.0% equivalent protein from non-protein nitrogen.	
Crude Fat, Min.	1.0
Crude Fiber, Max.	15.0
Calcium (Ca), Min. .. 6.5% Max.	7.5
Phosphorus (P), Min.	0.8
Iodine (I), Min.	0.00015
Salt (NaCl), Min. 5.0% Max.	6.0
Vitamin A, not less than 20,000 IU/lb.	

INGREDIENTS

Grain Products, Plant Protein Products, Animal Protein Products, Processed Grain By-Products, Roughage Products, Dehydrated Alfalfa Meal, Molasses Products, Animal Fat preserved with BHA, Urea, Vitamin Supplement, D-activated Animal Sterol (Source of Vitamin D₃), Ethylenediamine Dihydroiodide, Grolimestone, Calcium Phosphate, Salt, and traces Manganese Oxide, Calcium Iodate, Iron Carbon Iron Sulfate, Copper Sulfate, Zinc Oxide, Cobalt Carbonate and Sodium Selenate.

852

Manufactured By



CENTRAL SOYA
and Subsidiaries

© Fort Wayne, Indiana 46802

Net Weight as Shown on Package—or Bulk